

Declaration of Performance



Declaration identification code: ZGEE-DOP231219

1	Producer	Zehnder Group International AG Moortalstrasse 1 5722 Gränichen Switzerland
2	Zehnder representative for Baltics	Zehnder Baltics Rannamõisa tee 38d 13516 Tallinn Estonia
3	Personal contact of the representative	Tõnis Klaas tonis.klaas@zehndergroup.com
4	Date of the production	Continuous
5	Intended use of the products defined by the manufacturer	Fresh air distribution and exhaust air distribution in apartments offices and similar entities
6	Unique identification of the products	Article numbers are displayed on packages
7	Product group (set)	Comfotube DN110 air distribution- tubing
8	Ventilation tube	990 328 011 TUB-CT-DN110-50m
9	Grille housing	990 326 208 OUT-TVA-DN110-Z-DN125-MB
10	Accessories	990 328 111 CON-CT-DN110-M 990 328 264 CAP-CT-DN110-2PC 990 328 364 SEL-CT-DN110-2PC 990 328 411 BEN-CT-DN110x90-CCCH 990 326 033 TRA-CT110DN100
11	Manifold plates	988 326 710 MPL-10DN110 988 434 120 TAK-DIV-DN200
12	Manifold box	988 323 006 DIS-W620xL500xH260-10-FG
13	Product group (set)	InFloor air distribution - tubing
14	InFloor air distribution - tubing	990 328 001 TUB-CT-DN75-20m 990 328 007 TUB-CT-DN75-50m 990 328 010 TUB-CT-DN90-20m 990 328 009 TUB-CT-DN90-50m 990 328 107 CON-CT-DN75-M 990 328 109 CON-CT-DN90-M 990 328 262 CAP-CT-DN75-10PC 990 328 263 CAP-CT-DN90-10PC 990 328 362 SEL-CT-DN75-CTD-10PC 990 328 363 SEL-CT-DN90-CTD-10PC 990 327 820 MAC-CT-L365-100PC 990 327 200 MAC-DN75-HLD-10PC 990 327 201 MAC-DN90-HLD-10PC 990 322 152 BEN-CT-DN75x90 990 322 153 BEN-CT-DN90x90-RLC 990 322 013 TRA-DN90/75/FL51 990 322 046 TRA-FL51/DN90x90 990 322 150 TRA-CT-FL51/2DN75 990 322 155 TRA-ADJ-4XDN90/75

Declaration of Performance



15	Product group (set)	ComfoTube Therm
16	ComfoTube Therm	990 328 030 TUB-CTT-DN90-20m 990 328 032 TUB-CTT-FL51-10m
17	Product group (set)	ComfoValve Luna S125 E125
18	Valves	705 613 126 VAL-SUP-LUN1-DN125-PLS-9003 705 613 135 VAL-SUP-LUN1-DN125-PLS-9005 705 613 001 RES-LUN1-DN125 705 613 128 VAL-ETA-LUN-DN125-PLS-9003 705 613 127 VAL-ETA-LUN-DN125-PLS-9003-FIL 705 613 133 VAL-ETA-LUN-DN125-PLS-9005 705 613 134 VAL-ETA-LUN-DN125-PLS-9005-FIL
19	Product group (set)	ComfoSet 90 air flow balancing set DN90
20	ComfoSet	990 320 027 RES-CT-CS-DN90 990 320 026 RES-CT-CS-DN75
21	Product group (set)	ComfoWell Plates End plate manifold plate
22	ComfoWell Plates	990 323 610 MPL-CW220-4DN75-RLC 990 323 611 MPL-CW220-4DN90-RLC 990 323 612 MPL-CW320-6DN75/P 990 323 613 MPL-CW320-6DN90-RLC 990 323 621 MPL-CW420-8DN75/P 990 323 622 MPL-CW420-8DN90-RLC 990 323 614 MPL-CW520-10DN75/P 990 323 615 MPL-CW520-10DN90-RLC 990 323 631 MPL-CW625-12DN75/P 990 323 632 MPL-CW625-12DN90-RLC 990 323 510 EPL-CW220-DN125 990 323 511 EPL-CW320-DN125 990 323 512 EPL-CW320-DN160 990 323 627 EPL-CW420-DN160 990 323 629 EPL-CW420-DN200 990 323 564 EPL-CW520-DN160 990 323 514 EPL-CW520-DN200 990 323 637 EPL-CW625-DN160 990 323 629 EPL-CW420-DN200
23	Product group (set)	ConfoWell Silencer CW-S
24	ConfoWell Silencer	990 323 500 SIL-CW220 990 323 501 SIL-CW320 990 323 504 SIL-CW420 990 323 502 SIL-CW520 990 323 505 SIL-CW625
25	Product group (set)	Grille housing TVA-P
26	Grille housing TVA-P	990 326 121 OUT-TVA/P-2DN75-Z-DN125-H150-COV-MB 990 326 125 OUT-TVA/P-2DN75-Z-DN125-H385-COV-MB 990 326 122 OUT-TVA/P-DN90-Z-DN125-H165-COV-MB 990 326 126 OUT-TVA/P-DN90-Z-DN125-H400-COV-MB 990 320 725 OUT-TVA/P-2DN90-Z-DN125-H400-COV-MB 990 326 136 OUT-TVA/P-DN90-C-DN125-COV



Declaration of Performance



27	Product group (set)	Grille housing CLD-P
28	Grille housing CLD-P	990 320 810 OUT-CLD/P-DN75-A-H85-DS-MAC 990 320 849 OUT-CLD/P-DN75-A-H140-DS-MAC 990 320 811 OUT-CLD/P-DN75-B-H85-DS-MAC 990 320 813 OUT-CLD/P-DN75-B-H115-DS-MAC 990 320 850 OUT-CLD/P-DN75-B-H140-DS-MAC 990 320 845 OUT-CLD/P-DN90-A-H115-DS-MAC 990 320 846 OUT-CLD/P-DN90-B-H115-DS-MAC 990 320 852 OUT-CLD/P-DN90-B-H140-DS-MAC
29	Product group (set)	Grille housing CLD-P wide
30	Grille housing CLD-P wide	990 320 533 OUT-CLD-3DN75/P-B-H115 988 320 526 OUT-CLD-3DN75/P-B-H140 988 320 507 OUT-CLD-2DN90-B-RLC-H115 988 320 527 OUT-CLD-2DN90-B-RLC-H140
31	Product group (set)	Inductive vents
32	Inductive vents	990 321 790 DGR-CSB/P-L400-W75-Linea-Black 990 321 791 DGR-CSB/P-L400-W75-Linea-White 990 321 792 DGR-CSB/P-L400-W75-Linea-Inox 990 321 793 DGR-CSB/P-L600-W75-Linea-Black 990 321 794 DGR-CSB/P-L600-W75-Linea-White 990 321 795 DGR-CSB/P-L600-W75-Linea-Inox 990 321 740 DGR-CSB/P-L400-W75-Lamina-ALU 990 321 760 DGR-CSB/P-L600-W75-Lamina-ALU 990 321 640 DGR-CSB/P-L400-W75-Bilamina-ALU 990 321 660 DGR-CSB/P-L600-W75-Bilamina-ALU 990 321 745 OUT-CSB/P-2DN75-DN90-B-L410 990 321 746 OUT-CSB/P-2DN90-DN110-B-L610
33	Product group (set)	OnFloor air distribution
34	OnFloor air distribution	990 328 002 TUB-CT-FL51-20m 990 328 063 TUB-CT-FL51-50m 990 322 014 CON-CT-FL51-M 990 322 012 BEN-FL51x90-HOR 990 322 011 BEN-FL51x90-VER 990 322 013 TRA-DN90/75/FL51 990 322 046 TRA-FL51/DN90x90 990 322 150 TRA-CT-FL51/2DN75 990 322 151 YPI-FL51/FL51/FL51 990 322 154 TRA-ADJ-4xFL51 990 328 252 CAP-CT-FL51-10PC 990 322 016 MAC-FL51-MB-10PC 990 322 015 RES-CT-CS-FL51 990 322 000 OUT-CLF-FL51 990 322 060 OUT-CLRF-FL51-Z-DN125-H358 990 322 063 OUT-CLRF-2FL51-Z-DN125 990 322 061 OUT-CLRF-FL51-C-DN125



Declaration of Performance



35	Product group (set)	InFloor designer grilles
36	InFloor designer grilles	990 320 610 DGR-CLD-L260-W160-Roma-INOX 990 320 611 DGR-CLD-L260-W160-Roma-9016 990 320 620 DGR-CLD-L260-W160-Pisa-INOX 990 320 621 DGR-CLD-L260-W160-Pisa-9016 990 320 630 DGR-CLD-L260-W160-Torino-INOX 990 320 631 DGR-CLD-L260-W160-Torino-9016 990 320 640 DGR-CLD-L260-W160-Venezia-INOX 990 320 641 DGR-CLD-L260-W160-Venezia-9016 990 320 660 DGR-CLD-L260-W160-Genua-INOX 990 320 661 DGR-CLD-L260-W160-Genua-9016
37	Product group (set)	OnFloor designer grilles
38	OnFloor designer grilles	990 322 081 DGR-CLF-L350-W130-ROMA-INOX 990 322 080 DGR-CLF-L350-W130-ROMA-9016 990 322 083 DGR-CLF-L350-W130-PISA-INOX 990 322 082 DGR-CLF-L350-W130-PISA-9016 990 322 085 DGR-CLF-L350-W130-TORINO-INOX 990 322 084 DGR-CLF-L350-W130-TORINO-9016 990 322 087 DGR-CLF-L350-W130-VENEZIA-INOX 990 322 086 DGR-CLF-L350-W130-VENEZIA-9016
39	Product group (set)	Round InFloor and OnFloor designer grilles
40	Round InFloor and OnFloor designer grilles	990 322 116 DGR-DIV-DN125-R160-FIL-Sans_soucis-INOX 990 322 117 DGR-DIV-DN125-R160-FIL-Sans_soucis-9016 990 322 118 DGR-DIV-DN125-R160-FIL-Sacre_coeur-INOX 990 322 119 DGR-DIV-DN125-R160-FIL-Sacre_coeur-9016 990 320 780 DGR-DIV-DN125/160-FIL-Venezia-INOX 990 320 781 DGR-DIV-DN125/160-FIL-Venezia-9016 990 320 790 DGR-DIV-DN125/160-FIL-Torino-INOX 990 320 791 DGR-DIV-DN125/160-FIL-Torino-9016 990 322 089 DGR-DIV-DN125-Q160-FIL-Venezia-INOX 990 322 090 DGR-DIV-DN125-Q160-FIL-Venezia-9016 990 322 088 DGR-DIV-DN125-Q160-FIL-Torino-INOX 990 320 792 DGR-DIV-DN125-Q160-FIL-Torino-9016
41	Product group (set)	ComfoPipe Compact
42	ComfoPipe Compact	990 328 690 TUB-CPCP-DN125-L1m 990 328 693 TUB-CPCP-DN160-L1m 990 328 696 TUB-CPCP-DN200-L1m 990 328 691 BEN-CPCP-DN125x45 990 328 694 BEN-CPCP-DN160x45 990 328 697 BEN-CPCP-DN200x45 990 328 692 CON-CPCP-DN125-M 990 328 695 CON-CPCP-DN160-M 990 328 698 CON-CPCP-DN200-M 990 328 760 CON-CPCP-DN125-M/M 990 328 761 CON-CPCP-DN160-M/M 990 328 762 CON-CPCP-DN200-M/M 990 328 664 TRA-SEL-CP-DN180/160-M/N 990 326 341 TRA-CPP-DN200/180 990 327 300 MAC-CPCP-CPP-HLD-4PC



Declaration of Performance



43	Product group (set)	Outdoor air / exhaust air connector
	Outdoor air / exhaust air connector	990 430 250 EAC-DN125-200M3H-L248-W267-H37-INOX 990 430 584 EAC-DN160-350M3H-L280-W280-H37-INOX 990 430 585 EAC-DN200-500M3H-L330-W330-H37-INOX 990 430 591 EAC-DN125-EHA-ODA-R-INOX 990 430 599 EAC-DN125-EHA-ODA-R-9016 990 430 592 EAC-DN125-EHA-ODA-L-INOX 990 430 598 EAC-DN125-EHA-ODA-L-9016 990 430 594 EAC-DN160-EHA-ODA-R-INOX 990 430 595 EAC-DN160-EHA-ODA-L-INOX 990 430 596 EAC-DN200-EHA-ODA-R-INOX 990 430 597 EAC-DN200-EHA-ODA-L-INOX
44	Accomplished standards that the products can comply with	DIN EN 14277:2006-11: Ventilation for buildings - Air terminal devices - Method for airflow measurement by calibrated sensors in or close to ATD/plenum boxes NEN-EN-ISO3741:2010: Acoustics - Determination of sound power levels and sound energy levels of noise sources using sound pressure - Precision methods for reverberation test rooms EN ISO 7235: 2009 Acoustics - Laboratory measurement procedures for ducted silencers and air-terminal units - Insertion loss flow noise and total pressure loss DIN EN ISO 9969 Thermoplastics pipes - Determination of ring stiffness
45	Performance	The product performances physical and chemical qualities can be found in the technical sheets of every product.
46	Validity	Valid until cancellation

The performance of the products identified in points 7-43 are in conformity with the declared performance in point 44-45 when applicable (see product data sheet). This declaration of performance is issued under the sole of the responsibility of the manufactures identified in point 1.


Signed on behalf of the manufacturer.



Johannes Bollmann

Chief Operating Officer (COO) Ventilation EMEA

Lahr 19.12.2023



Digital unterschrieben
von Michael Wind
Datum: 2023.12.19
14:48:11 +01'00'

Michael Wind

Director Air Distribution Systems

Lahr 19.12.2023

