

# Zehnder Metropolitan Bar

Hydronic operation

Product data sheet

always the best climate



Functionality combined with ethereal design for the bathroom: Zehnder Metropolitan Bar makes a strong impression. The light and seemingly airy heating tubes in a flat design maximise radiant heat. It is a radiator and towel rail in one. Available in almost any colour and finish from the Zehnder colour chart.


**Special benefits for hot water operation**

- Elegantly enabled valve integration on request, which discreetly conceals connection fittings

**Advantages**

- Smooth surface creates an elegant look
- Towel rail for added convenience
- Convenient, individually adjustable towel hooks on request for hanging towels
- High proportion of radiation ensures comfort
- Light and seamless design enhances any room
- The right model for any setting
- Light airy look provided by distinctive triangular profile of frame
- Innovative hybrid welding technology guarantees maximum quality and high-end design

**Model overview**



**Painted version**

With chrome-plated towel rail

Model	H mm	L mm	LB mm	Heat output				
				75/65/20 °C Watts	70/55/24 °C Watts	70/55/20 °C Watts	55/45/24 °C Watts	55/45/20 °C Watts
MEP-080-040	805	400	295	323	231	262	139	167
MEP-120-040	1225	400	295	469	336	381	203	244
MEP-150-040	1540	400	295	582	423	477	262	312
MEP-180-040	1750	400	295	663	473	538	285	343
MEP-080-050	805	500	395	387	276	314	166	200
MEP-120-050	1225	500	395	563	403	457	244	293
MEP-150-050	1540	500	395	730	529	598	327	389
MEP-180-050	1750	500	395	795	567	645	342	411
MEP-080-060	805	600	495	449	320	364	193	232
MEP-120-060	1225	600	495	653	467	530	283	340
MEP-150-060	1540	600	495	871	632	713	390	465
MEP-180-060	1750	600	495	922	658	748	397	477

H = height, L = length, LB = towel rail length

75/65/20 = Nominal heat output according to EN 442

**Painted version**

With chrome-plated towel rail, for installation below windows

Model	H mm	L mm	LB mm	Heat output				
				75/65/20 °C Watts	70/55/24 °C Watts	70/55/20 °C Watts	55/45/24 °C Watts	55/45/20 °C Watts
MEP-060-090	595	900	795	447	318	362	191	230
MEP-070-090	700	900	795	517	368	419	221	266

H = height, L = length, LB = towel rail length

75/65/20 = Nominal heat output according to EN 442