zehnder
always the best climate

Zehnder ComfoAir E350

Prices 2022 – Sales International

Comfort ventilation unit

Product	Description	Article no.	Gross price €	Discount group
ComfoAir E350				
Passive house certified	**ComfoAir E350 comfort ventilation unit** 350 m³/h (150 Pa) air volume flow, cross-counterflow heat exchanger with automatic 100% summer by-pass, wall-mounted or floor-mounted using an optional base mount, without three-stage switch, display operation possible Dimensions: 725 x 870 x 560 mm (W x H x D)	A+ *		
	ComfoAir E 350 L with supply air connector, **left**	**471 508 115**	**2.590,50**	**C**
	ComfoAir E 350 R with supply air connector, **right**	**471 508 120**	**2.590,50**	**C**
	ComfoAir E350 V comfort ventilation unit 350 m³/h (150 Pa) air volume flow, cross-counterflow heat exchanger with automatic 100% summer by-pass, wall-mounted or floor-mounted using an optional base mount, **with pre-heater**, without three-stage switch, display operation possible Dimensions: 725 x 870 x 560 mm (W x H x D)	A+ *		
	ComfoAir E350 VL with supply air connector, **left**	**471 508 125**	**2.866,30**	**C**
	ComfoAir E350 VR with supply air connector, **right**	**471 508 130**	**2.866,30**	**C**
	ComfoAir E350 enthalpy comfort ventilation unit 350 m³/h (150 Pa) air volume flow, cross-counterflow **enthalpy exchanger** with automatic 100% summer by-pass, wall-mounted or floor-mounted using an optional base mount, without three-stage switch, display operation possible Dimensions: 725 x 870 x 560 mm (W x H x D)	A+ *		
	ComfoAir E 350 L enthalpy with supply air connector, **left**	**471 508 220**	**3.226,70**	**C**
	ComfoAir E 350 R enthalpy with supply air connector, **right**	**471 508 215**	**3.226,70**	**C**
	ComfoAir E350 enthalpy comfort ventilation unit 350 m³/h (150 Pa) air volume flow, cross-counterflow **enthalpy exchanger** with automatic 100% summer by-pass, wall-mounted or floor-mounted using an optional base mount, **with pre-heater**, without three-stage switch, display operation possible Dimensions: 725 x 870 x 560 mm (W x H x D)	A+ *		
	ComfoAir E 350 VL enthalpy with supply air connector, **left**	**471 508 230**	**3.441,90**	**C**
	ComfoAir E 350 VR enthalpy with supply air connector, **right**	**471 508 225**	**3.441,90**	**C**

* Energy efficiency classes in accordance with EU Regulation no. 1254/2014.
The energy efficiency class applied when the unit is used with manual control.
Further information is available at **www.international.zehnder-systems.com**

Comfort ventilation unit				
Product	**Description**	**Article no.**	**Gross price €**	**Discount group**
ComfoAir E350 accessories				
	Three-stage switch, in-wall, with 0 position for ComfoAir E350, ComfoD 200, 180, 160	**990 210 154**	**78,70**	**C**
	Three-stage switch, in-wall, without 0 position for ComfoAir E350, ComfoD 200, 180, 160	**659 000 120**	**67,00**	**C**
	Three-stage switch, in-wall, without 0 position, with fault indication for ComfoAir E350, ComfoD 200, 180, 160	**659 000 300**	**101,90**	**C**
	Surface-mounted housing for three-stage switch for ComfoAir E350, ComfoD 200, 180, 160 suitable for 990 201 154	**990 210 155**	**30,40**	**C**
	Surface-mounted housing for three-stage switch for ComfoAir E350, ComfoD 200, 180, 160 suitable for 659 000 120 and 659 000 300	**659 000 200**	**16,40**	**C**
	Remote controlled RF control panel required accessories: RF board	**655 000 755**	**120,00**	**C**
	RF board for RF control panels	**655 000 762**	**58,90**	**C**
	ComfoAir E350 mounting base	**471 502 008**	**165,60**	**C**
	Dry siphon 5/4” for ComfoAir E350	**990 201 330**	**54,50**	**C**
	Filter set for ComfoAir E350 ISO Coarse ≥ 65% (G4) 2 pieces	**400 502 012**	**44,00**	**B**
	Filter set for ComfoAir E350 **ISO Coarse ≥ 65% (G4) / ISO ePM1 ≥ 65% (F7)** contents 2 pieces	**400 502 013**	**47,60**	**B**
	Filter set for ComfoAir E350 ISO Coarse ≥ 65% (G4) 10 pieces	**400 502 014**	**197,00**	**B**
	Filter set for ComfoAir E350 **ISO Coarse ≥ 65% (G4) / ISO ePM1 ≥ 65% (F7)** contents 10 pieces	**400 502 015**	**230,70**	**B**

ZG-SI-V0122-CSY-PRL-ComfoAir E350, en, subject to change without notice

Zehnder Baltics OÜ · Rannamõisa tee 38d · 13516 Tallinn · Estonia
T +371 29 433 447 · rudolfs.birnbaums@zehndergroup.com · www.zehnder.lv